

Chapman

Of fever, necessary attendants
of fever are quickening of pulse
and shivering

MSS 2/0213-01

Acc. 1991-086-01

... of the ...
... of the ...

Disease depends on rigidity or
laxity of fibres,

Classification of Disease

1. Circulatory heart and blood vessels
2. Digestive,
3. Respiratory ^{may} Pulmonary organs
4. Absorbents Lymphatic
5. Secretory glands
6. Sensative, of organs of Rem's, Nerv
brain &c
7. Muscular of Muscular
8. Cutaneous of the skin & body
9. Osteous of bone and their
immediate appendage
10. ~~Genital~~ Genitary Genital
organs of both sexes

Suppurative inflammation, when
the inflammation is not stopped, it goes
on swell greatly the intensity of
the shape of the tumour becomes
pointed, but general it shows those
which are of rigour, cold in pro-
portion the situation of the inflame-
in structure of the pleura coldness
re precedes as in fever, the limits
of an abscess limited by a pleural
tissue, sometimes the abscess has pus
when the pneumonia is not all affec-
ted as to appearance so thorax when
the pleura is not of pneumonia thereon
the fire burn but pus quite as in time
cool.

Statement of Suppression, by
aside all remains for resolution
stimulating remedies not to be a
food and spiritous liquors, bark &
heat & fermentation, with dec
tion of Camomile flowers or flau
boulter, very necessary of brace
and sweet, the heat of an affec
tion and to be warmer than the
disordered part, Suppression not
to proceed too far

Hection given

Countenance Hectic of consumption
or circumscribed circle on the cheek
a wild eye —

[1823?]

Resplendent eye lid suffused and
muddy like that of intoxication

Lips languor feeble and dimly
eye suffused and dull

Hydrocrastr shape non-hollow eye
In yellow fever countenance nature very
unfavorable —

an avia or weep involuntarily
or deviation to one side all my head
a constant sweating head
a dilated pupil indicative of infla-
mmation of the brain

eye sparkling denotes venereal
involuntary weeping a bad sign

Lesson 22

white of Plurisy —

Pellmury the tongue clean —
bad in the bowels

consumption the tongue moist —

Intermittent, white-dry hot —

typhus white dryness protracted with
difficulty —

In fever dryness indication typhus when oc-

Yellow fever white yellow appearance
as if milk had been rotted over

tumor on the tongue when protracted
always very unfavourable

accompanied by nausea

yellow matter about it very unfavourable

in ordinary fevers say florid

the lungs diseased respiration laboured
retraction of the arms —

respiration very short & unperfected
Asthma quick long - anxious & distress

Infla Briceia - signifying unfavourable

Cough & Matter

consumption without trouble is favourable
Matter coming without trouble is favourable
thick, yellow & tenacious
when dark blood heavy breathing unfavourable
no odour favourable

a small pit of piss between two
pieces of glass before a candle
the globules will be preserved

posture of the sick

Inflammation of vesica to lie on
one side

On the belly the Venereal or pain
in the stomach

Inf Peritonitis erect posture knees
drawn up

On the back knees bent on one
side bad symptom

Temperature unequal on the body
dangerous - cold hands alarming
cold breath danger, stomach, bowels
bad sign to prep the patient on the
lounge to remain pale

darkness of the nail a bad sign
in fevers

In the cold stage without any
quickness of the voice is bad from
anxiety from a micca

trembling is bad - loss of voice

blindness followed by speedy death
Meaning of bad source bad -

taste impaired bad - Sweet denotes
effected kidneys - Demanding ammonia
unusually very bad -

Sensation & Insensibility to heat
and cold very bad - in nervous fever
dull muffled very bad delirium
better, care of about those around
bad symptom -

much may be the evacuation
black blood always bad -

Watery stools indicate relaxation
mucus depending on mucous coat
of viscera - at the close of the

stools watery very alarming Indici-
Indic - of the bowels
stools known by colour consistency
and colour

Urine in drops - high degree the urine
will coagulate by heat

The app of recd same to be relieve by
the authorities

Blood

Discolours as if they had been heat -
In malignant - high heat danger
Worst that appearance of knots and
water

best where a portion only discoloured
where such occur the lancet must
be laid aside and stimulants
applied

3 Blood with serum clear red, brown
In autumnal fevers - no alarm
the serum yellow

Scarlet without and separation
Plenty scarlet Red buff -

buff favourable - Inflammation

calls for venesection, except

may be found passing all kinds

in pregnant - in dysmenorrhoea

in lungs of acute or chronic

of a septic or putrid

~~Plenty~~ Chills & fever

30 Drops of Ether & Laudnum
at the commencement of chill

Remote, Mediapore, Common

opercle & proximate

proper & common primary & secondary
Pathonomic & Diagnostic

Lixen - is the bordered irregular dis-
cussio area -

Intation Inflammation Spasm

BC. 10. 1893 1385. 75-128 37. 27

May 13-1823-1799

- 1 Circular Heart blood vessels
- 2 Digest Chyliferous canal
- 3 Respiratory pulmonary
- 4 Absorbents lacteal
- 5 Gland secretory (nerves)
- 6 Sensitory Organ & sense brains
- 7 Muscular Muscles appendages
- 8 Cutaneous skin
- 9 Osseous of the bones
- 10 Generating genital apparatus

Fever, Increased Heart Frequency of
pulse and ^{arrangement of} organs
In Typhus, Less temperature some-
times lower than usual
pulse more frequent usual, where
the brain is concerned the pulse is
about one half -

Sympathetic, Sympathetic

Morbific admitted into the mouth
and swallowed and the stomach
one effect - though the lungs some-
times suffer the same - Oil
afford protection against conta-
gion taken into the stomach
or eating before

going into unfeared distrust - from
malignancy of all disease derived
from the stomach particularly typhus

pathology & Treatment of Yellow Fever
of a typhoid nature, the system being
one originate from peculiarities in
the stomach - commonest heat slow
nausea vomiting, high heat, tem-
perature irregularly diffused, the Increa-
sed gastric secretion, the yellowing
of the blood from a disorganization
of the blood and not of the bile -
as herein the disease is no remission
an immediate disturbance of the liver
is not apparent from other symptoms

- 1 The yellow fever from miasmata -
2 The diseases have not the same sym-
ptoms nor are of the same type -
3 It has its seat in stomach -
4 its Convalescence is always rapid -
5 The second attack of yellow fever
6 The disease requires not the same

Treatment


By moderate evacuation after war-
ming - not good - next by ad dressing
remedies chiefly to stomach 1st Stop
vomiting and afterwards clean out
the same - salivation when appe-
tes very good -

fever of an inflammation of the stomach
the lancet, blistering, cupping applied
and purging by Colomel only —
promitting with the dysentery, and cold
applications was the practice this city
but in N York quite different

In the first approach of yellow fever
more mortal than towards the close
the practice in 1820 in this city was first
An emetic if recent case, open the
arteries confirmed the worst remedy
was followed moderate purging the
of dysentery a drop every hour
or two, temperature of no effect unless
applied at the commencement
cyan paper in dysentery tonsillitis
the very best remedy

In peritonial inflammation temperature
the best remedy ~~was~~ applied by wet cloth

the Sacrum laterone in the same vein
as turpentine the best likewise to check
Belious vomiting and likewise in
distending very good - In yellow fever
we are to be regulated by the general
system to be relieved by its bleeding, blistering &c - In typhus the stomach
is poisoned - and to be treated as if
poison had been received in the stomach
type of 3 days - 1 mild & moderate to
be cured, 3 malignant not be cured
to prevent the malignancy -



MSS 2/0213-01

Acc. 1991-086-01

James ^{and}
those of a large menstruation
flushed countenance florid eyes
the size of the nose and breast and
if histric and other diseases come
on too severe, bleed smartly and
relieve by salts & purgatives & very
nutritive diet or spirits, the most
common appearance of a cancer
if females continue well without
menstruation ~~it~~ not necessary
for a physician, give injections
back, reverse any necessary
to ride on horse back give them
or water of some mineral spring
perhaps, bleed bathing, Nit cool
warming, fluid of an electric
kind but not by shocks, but not
to let a patient let know the al-
fect of ~~the~~ the exercise, I'll health
is often the cause of suppression
if of a plethoric habit to bleed and
give an emetic to be kept in bed
to sit over some warm water
warm bath &c.

(82)

Eggs put-up in better preserved spirits
than by shutting up the pores ^{see} [Co. 1823]

It is the aim of the Physician to
directed to maintaining the healthy
system or restoring the unhealthy.
Natural substances are found to be
more decomposed than others, one of
the most apparent when exhibiting de-
cay or effect on the skin for it shows that
activity is departing very fast & of un-
known extent. It produces inflammation
almost instantaneous & when it does not
disappear with the disease - serum is
carried to act upon the nerves &
persons listen where rest is in the
Brain - dangerous, but then
arises from the heart - It is nature
to be kept for arranging the
flow of a long tube, this open with
inward and outward will arise &
it will least as long as the heart
keeps - & decaying places &
of Organs and Muscles & system, the eyes
for sight ear & see, nose &
from nose is carried into the lungs &

MS 2/0213-01

Acc. 1991-086-01

Cause and Symptoms of Inflan-
mation, Inflammation cannot
be ^{much} hotter than at the commence-
ment of the disease but is caused
by the velocity of blood, the deep-
seated part of the body are less
susceptible than superficial
parts, in common inflammation the
redness extends in proportion to the
violence of the disease, & the infla-
~~mation is caused~~ redness is caused
by the arteries and veins increasing
to more than ordinary size &c
In Erysipelas the pain is burning &c
the Cause Cold debilitate the arte-
ries and hence induces inflammation and
it is only on animal where cold is
only occasionally acted upon where
the size is affected, it not always
will pay for cold to be intense
to induce inflammation, heat
is well as cold must bring on infla-
mation, thus the ~~the~~ powers of Life
on the head contract the blood
repels ~~the~~ so as to produce
a sort of apoplexy.

Chapman

When expectoration coming up easy
is favourable. but when it is
tinged by a dark blood is unfavour-
able as mixture of common blood
is a common occurrence when not
to much, Pulse can go to 120
Res. Co. E. clear hair
Voice tense evac. bowels skin
Temperature surface
And blood itself

ulse, Tongue, Teeth, Respiration
Cough, Expectoration
Nails, voice, senses, excretion
bowels, Kidneys, skin, Tem-
perature of the surface And the
blood itself

Remo-
ional
Remo-
Becar-
sares
Lymph
per
diag-
provi-
struc-
There
J
Affe-
action

flam
not
ance
cussed
the deep
less
icial
in the
to the
the infla
mild
ing
do
riming
the pite
to find
da is
where
away
intense
heat
infla
of leum
blood
moore

Chapman
When expectoration coming up easy
is favourable. but when it is
hinged by a dark blood is unfavourable
there is mixture of common blood
is a common occurrence when not
the mouth, Pulse can be felt
Res. Co. Ex. diem nails
Voice sense evac. bowels Kidney
skin Temperature surface
and blood itself
tongue, Teeth, Respiration
Cough, Expectoration
Nails, Voice, Senses evacuation
Bowels Kidneys skin, Tem
perature of the surface and the
blood itself

Remote or per dis Occar
ional or exciting And proximal
Remote a predisposition, the
Occasional excites it the dis
eases, proximate diseases
Symptoms proper to Commen
per & see, pathologica
Diagnosis -
proximate, functional And
structural
There are four orders of disease
Inflammation
Ipsam
Oppressed or suffocating
action

Some other forms of
to distinguish chronic
from acute
Chronic, 2 forms
the 5 stages of
the 5 stages of

1826 June 9 -

Aug. 11

R⁴ Spt. Camph: f ʒi.
Tinct: Lytta f ʒij
Liquor Ammon sub carb
f ʒss.

R⁴ Spt. Camph: f ʒi.
Tinct: Lytta f. ʒij
Liquor Ammon sub carb ʒh

My boy
4 Salaf

Colonel (in A. 9th X

Pulo. Salaf: 2j. 1st

1st fullul 1st 2j.

June 19th 1826

Matfield

MSS 2/0213-01

Acc. 1996-086-01

Augst Augt 11th 1826

Augst 11th

Augst 1st Camp: 3j.

Carbon Min Substances combine
 Boron with O₂ And Hydrogen
 Sulfur with O₂ form flints
 Phosphorus
 Sulfur

3 Arsenic

4 Potash

1 Tellurium

~~Tellurium~~

2 Selenium

11 Hatfield

Hatfield
 Hatfield
 Hatfield
 Hatfield

The constant time
 since first observed by lunar count
 the stars are not yet fractured in
 fracture traces on the face or late
 a solution and strong about the 2, 3
 or 4 may be

nutious drive
Oct 1 - Oct 2

MSB 2/0213-01
Acc. 1991-086-01

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

with endpapers
in 10-year-old

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

Sparticus

Stafeld Stafeld

Stafeld Stafeld

Stafeld Stafeld

Stafeld

Stafeld Stafeld

Stafeld Stafeld

Stafeld Stafeld

Stafeld Stafeld

Stafeld Stafeld

Stafeld Stafeld

How is Nitric acid made? &c
Carbonic acid

Phosphoric acid —

Sulph acid —

Sulphurous to Sulphuric — by Nitric acid ascending

How is Potassium made

Peroxide — if heated is green, yellow, black &c
Note Article Brown — very inflammable like
more so than iron
glucose — one of the heaviest — difficult to fuse
Oxygen in water — forms in water
Hydrogen, a new class combined with the
ammonium

Muriate of Ammonia for the Sore
throat 3 times daily — for a child
useful for
indurations of any glands

MSS 2/0213-01

Acc. 1991-006-01

Epidemics are intimately associated with the order & economy of weather influence and preceded by earthquakes, volcanic comings &c and affects sheep, horses, oxen &c previous to man - phenomena precedes sometimes the fleas & spiders &c - the silence of the grasshopper and inactivity of bees also observed previous to Epidemics - the black vomit thrown up during life filled ~~with~~ with animalcules but after death generally found dead - and one of the compositions of nature escape infection in some respects, as small fish, rivers, felled worms &c - Diseases are generally suffered for 3 or 4 weeks previous to an Epidemic - 1 class of Epidemics no two diseases of Epidemics can exist together

2. They continue also depending their force or become milder and forthwith disappear 3 Epidemics are influenced by air circulation &c No 2 years did yellow fever bear the same appearance and also in different years - 4 Epidemics will locate itself in different parts &c to the brain apoplexy &c but are all modifications of the same disease 5 Are distributed in their as in the prevalence sometimes slow other quick. Sometimes persons of one County only - sometimes of an age &c

Yellow Fever An Endemic of Tropical Climates
The Origin and Propagation of Disease The Disease
may originate in a foreign or some other state
but not that it cannot ~~from~~ be carried from
one place to another, however small
the distance, but vessels may convey the
material and not only from Africa - the
case of Amboy - green wood when exposed to heat
occasion a very bad effluvia, that fevers here
in 1805 was of a domestic kind - heard of Forewell
in every year in Yellow Fever was 79 cases in
June and July Common felth of the City
cannot produce the disease, cases of
peculiar effluvia not of only foreign & do
mestic, then made of houses are apt to gene-
ally cause a very bad effluvia civic -
the fever is Epidemic in its nature and effect

2 The disease never spread when removed beyond
the City -

3 The disease suppressed on the approach of
cold weather -

4 The sphere in contagion in which the
disease prevails. If fever of 8 feet
does not exceed 8 or 10 feet - does not
effect another room or house. The
disease always spread in direction
of the prevalent wind - Out 568-0928
suppose contagion

Contaminated air has a very powerful effect —
It is calculated to occasion low fever, Bilious,
or by relaxing the fibres ^{nerve} the
But the exertion from yellow fever cannot produce
the same, but one of another nature —
No warranted proof of contagion. All bilious
are liable to Epidemics, no two ^{Epidemics} follow
in the succession — Yellow Fever in summer
and others in winter for instance from and again
Yellow fever occasioned by a peculiar effluvia
sent of by putrefaction. Diseases contracted
from miasmatic are always more violent
than from disease stuff

[n. d.]

MSS 2/0213-01

Acc. 1991-086-01

Motus Scurtic. in vac, Symptoma. Nunc
extrem. glutui - Int. Psoas & iliacus m
Nage Psoas parvus - behind sacro lum
balis & long-dorsi - Ischium
spinous - Mus. Coccygeus & sup ge -
- Mellus

rn. d. 7

R Pillul: Hydrag: aa griv.
No X.
(Kafala)

R Sarsaparilla cont:	3ij.
Rad: Mezerei:	3ij.
Ulm: Flav:	3j.

To be put in a quart of
water and boiled to a
pint and a half -
Dose a Wine glass full every
hour

Ca
ca
De
t
e
c
E
a
c
a
a
r
t
a
e
i
a
C
a

Opa Spongiosa or Turbinata Inferna
attached to Maxillae sup., near transverse
ridge - hook like process - covers Max Sinus -
Ant - ant opening nose - covers lac. duct - other
throat - convex septum - no cells -
vomer

extends downward from sphenoides to palate plate
Rhomboid - post edge oblique - upper edge
united to the two ethmoidia - process of zygotes
of sphenoid - two laminae nasal plate ethmoid
long narrow for cart. nose -
law

chin, sides, angles and process - tria - ridge mus. lip
foramen inf. max - ridge coronoid process - alveolar -
alveoli - base round - angles rectangular and
maxilla mus - coronoid process higher temporal mus
and ridge buccin mus - notch - Condyles oblique
- Inside chin protub. fissure attaches from lingual and
mus. tongue & os hyocollis - ridge terminates oblong pro-
tuberance attach mylohyoides mus anterior - post
sup. constrictor of pharynx - surface above mouth
- below concave lacrimal gland - behind a
large foramen transmitting inf. max branch fifth
pair of nerves communicate with anterior -
shank process paper ligament pass to temporal bone
a groove by nerve go to tongue - at angle is intersting
Os Frontis, Parietalia, temporum, sphenoid
and ethmoid and occipital

...crowded together...
...contagion is the cause of
Chief & disordered...
low fevers...
by the an emetic in the early stage, in the
manner as you manage a case of Lu. alba.
poison. So fever from noxious inhalation
emetic in a later stage quite inferior
to biphos - foul tongue, pain head and
other causes may warrant emetic
the propriety of stimulants called in question
and purging substituted - purging effects
carry off feculent matter, purging with
calomel & jalap or both together.
In the commencement of the disease the
bowels are loose & spasmodic - when
the alimentary canal is infected evacuation
is a relief and very proper in the present form.
Cold calomel is meeting perspiration
but a fractive like this must not be
too fully employed - but a plan when
the heat of the bowels is above the natural
state & no perspiration

[n.d.]

must bring blood to the surface
but blood in case would generally be extracted
except to attract the remedies to the
surface of the body - sweating & cathartics
the saline or neutral mixture frequently
very good - Spr of Nitric freely given
at small intervals in small doses -
a dishon or more in every hour with
out urine and lancet
spr of nitric very good - very
improper in the commencement still very
good in the ~~organ~~ more advanced
this fever mostly attended in the commence
ment with inflammatory action the
correct conditions freely to be used -
the system always in opposition to be relieved -
they give to be treated by stimulants

for the most part, the face is pale, the
forehead smooth surface, the expression
evinces anxiety and distress - the quick at
first but afterwards slow as not to be per-
ceived - Sometimes so sudden as if struck
by lightning - pain in the joints, as in
lock or lead somewhat like the sting
of a bee - afterwards all fall into
the head when commencing it is slow
sometimes commences by chills & fevers
with cough and bloody expectoration
with emittance of bile the pulse full strong
but soft the tongue and fauces coated
with dark brown incrustations - The pulse
full soft the skin soft, the tongue clean
&c, bowels regular, with muscular
are right favourable - Treatment
stimulants or wine &c but the
preference to the sweating diaph-
retic regimen - the Dover's powder
or 3 grains with wine - opium to
the feet and arm pits - where swe-
ting can be produced most favourable
the Carbonate of Ammonia and ipsum
remedium - with hot toddy &c -
emetics sometimes very useful and
repeated several times followed by fuming
powder - but the treat-
ment may be varied

the other part of the paper
very early in the day
be used in the play of the
Plague

MSB 2/0213-01


Acc. 1991-086-01

On Arterial hemorrhage from the
nose. The hemorrhage is low and, more
often, is a result of a cause se-
cured in the throat to be seated the in-
clined backward, cold applied to the anterior
back of the neck or pericardium, next a line
applied with flour below into the nostril
sometimes the head to be put in cold wa-
ter with ice or salt -

[n.d.]

MSB 2/0213-01

Acc. 1991-026-01



In hemoptesis the lead proceeds
by bleeding and the lead only in case
where the hemorrhage is small
Opium promises a great in the disease
and large doses in the commencement
And the best in uterine hemorrhage
to place the system completely under
the influence of Opium —
Opium administered by Dr. Chapman
in cases of affection of the lungs as
compared to some cough &c
Emetic, the answer may well in some case
but the practice may be hazardous —
The opiac and is a very important
medicine in this disease the dose of $\frac{1}{2}$
gr in a small portion of opium —
The nitrate of potash is frequently very
useful & employed in hemorrhages
of the rectum very efficacious in affec-
tion of the lungs nitrate the best
the mineral acids given with the
same are sometimes of service &
of these the best is sulphuric well dilu-
ted — purging necessary as soon
as the flow is stopped the sal-
tation and likewise castor oil
magnesia with Cinna bark imm-

the blue pills the best & blue pill
cold applied to the arteries very effe-
cacious - the capillary vessels that are
of hemophiles the vessels being so weak
distances answer very well on a certain
occasion - next ^{is} the first with the
lower extremities extended with the
head raised & the chamber kept cool
and ventilated 3 No Company not taken
4 The stomach not to be loaded but
cool food - 5 the bowels kept open
the puerian bark an excellent remedy
in small expectorations from the lungs
alone or with myrrh - alum is likewise
here prescribed but of no great advan-
tage &c - Evacuation an excellent remedy
or horse back but should be done
with care - diet or milk, egg, &c well
but hynoptesis very liable to a relapse
to be avoided by that to stimulate the
blood vessels any way - & that to take cold
3 to watch the pulse and sometimes bleed-
ing necessary with low diet and cala-
mity on the wounds &c - & Salivation
to be tried in obstinate cases, but
of ten cases where lungs are affected by
tubercles &c - but when any thing
has failed a poor case to warm
elimination the last and best

R Best Tooth Powder

Alumin: pulv: [n. d.]

Cinchon: pulv

carb: Lign: pulv: aa Zij

M Jb Pulv - Hatfield

Acc. 1991-086-01

MSS 2/0213-01

Pills for Hemorrhoids
Preparation: 1. Preparation - in
natural remedies next the
saincof oil and Benpentin
20 or 25 drops of the capsule
2 or 4 times a day.

In consolidation cases leeching
in preference to punching

hog back quite 2 oz
permanence 3 dr

in a liniment with 2 dr
Laudanum


or lead water 8 oz

Laudanum 1 oz

a poultice calomel leaves
with hog lard

To relieve vigilance an ~~of~~ of hope -
the most effectual is on ~~vacuancy~~
an active kind; ~~emetics~~ ^{mania} of an anti-
maniac nature is ~~considered~~ ^{maniac} very pre-
judicial;

the patient inclined to sleep, ~~the~~
but should ^{be} moved about ~~so~~ the febrile
state does not bear ~~the~~ depletion.
first cleanse the stomach the peg-
table and acids rubefacients - vinegar
and ^{acid} salt of argy for bad effect cases of
opium, the infusion of Coffee and
effect in cases of opium - Digitalis
tobacco & laural - the best is ~~is~~
brandy in as large doses as possible
In cases of ~~the~~ liquor we ought to give
opium and coffee may also be given.
Opium interposed in cases of Land
drinking has been of great service, a pill
occasionally in the course of drinking
Opium the best counteragent in
digitalis - Cold ablications to the
head is the best remedy in drunken
rip or water dashed over him -
Great attention should be paid
to the appearance of Inflammation
venesection &c might ~~might~~ sometimes
be carried to some extent - Deli-
rium sometimes ensues in stopping the
usual allowances in such cases
the eyes are red the tongue par-
ched the pulse throbbing &c

afterward, an increase of nervous
tremour &c - sometimes parox-
ysms occur to such an extent
that it is necessary, several men
to hold him, the mind then becomes
affected and appears frantic & by
throwing the bed and chairs about
and endeavouring to make their es-
cape - And afraid of being injured
by some one without the room.
In depression we find the stomach
very much inflamed, the brain ap-
pears to participate in the disease
and most generally inflamed -
the contents of the bowels not so much
affected - Treatment we should
be governed by the pulse &c but these
are so often very deceptive. The ven-
tral mixture with Laudanum hot
brandy and in a dark room
without any noise - opium and
brandy sometimes of no effect -
After evacuations seem to open and
brandy and the best appearance
is an inclination to sleep - 

hematemesis blood brought up
from the stomach by coughing
may be occasioned by an old tear
upon the liver. Treatment of these
active venereal tumors to be kept
open - to check the hemorrhage
the sp. of turpentine 30 drops
even half hour or hour. See
whether very good - in extreme
cases a blister is sometimes ne-
cessary - the bowels open by
castor oil - If the pulse stand
warm & full and indurated
mercury in the system

Hæmatina voiding blood
wounds, symptoms, pain in back
grains show the high &c
Treatment in cases of violence
Mercurial 2 Cupping a regi-
3 blister 4 purge gently - 5 to
Venereal with 1 wet cloth
the decoction of peach leaves an
excellent remedy

Constitution
The above act must immediately affect
in fever ~~at~~ 66 but slightly much after
in fever ~~at~~ Tertian emuls general
quartian quotidian - Tertian in
morning quartian at noon
quartian evening

[n.d.]

Ether 10z Brownell
Lact 1gr Brownell
Warm water 4oz 00 oz lemon juice
Mile 10
ca 10 15
1 1/2 60 60 100 100

Ether 10z
Lact Emuls 1gr
4oz Warm water
2oz lemon juice

Capers. Ammonia. ^{page} 194
Dose 1 gr. 3 or 4 times a day
Liniment of ~~the same~~ in the same
preparation of Aloinine of the Commode
of Chapman no great advantage
but associated with bowel effects
Dose 3 or 4 grs little nutmeg
sulphur with brandy calculated
for all other febrile affections
Purchase of Lion, but no harm in it
Substitute bismuth
spirit of Turpentine has likewise
been employed. Dose a tea spoon
full every 4 or five hours
black pepper in the debilitated
state 6 or 8 of the pepper chord
Cassia on very good qualities
~~the same~~ Gentian, columbo quarka
Kind in
Charcoal given in the same dose
as Curcuma
Turpentine in conjunction with
wine - commenced with rather
very good effect -

hoar hawed in paracyn and
parexia —
Sog seed enclosed with su-
perior powder dose same as bark
bark of the wine cherry called
luted for Intermettent with
a cough

populear bark, commonly Rush
used a the bark —

Oak bark, white oak, but
Spanish oak better, the Chesnut
frequently employed —
Whatever makes a strong impression
on the mind is good

where Int is kept by system, and
^{not} by bowel affection, the patient to be
purged every morning for 3 or 4 days
and opium in aporexia, in old
Int bleed every day $\frac{1}{3}$ or for 5
at a time unless affected the
pulse

dear

Calvin foot ferry very good

To continue of Carbonate of Iron

To take an office at a kiln

After evacuation of the alumina

day - Small pieces of Calcareous

abundant in the layer

If large pieces of Calcareous

in 3 or 4 days or long in all the

of the same nature

MSS 2/0213-01

Acc. 1991-026-01

Indication of Calcareous limestone

Trapped

The Contact on the south

Typing &c -
The above arises from maintenance
machinery - sold &c -

Acc. 1991-086-01

MSS 2/0213-01

11

Circulatory System

Fever

[n.d.]

Intermittent Fever

Continued Fever

Synocha or Bilious Fever

Typhus Fever

Mute Epidemic

Yellow Fever

Pestis or Plague

Hectic Fever

Hemorrhages

Hemoptesis

Hematemesis

Hematuria

Epistaxis

Uterine Hemorrhagy

Digestive System

Vermines

Gastritis

Poisons

Dyspepsia

Choleia Morbus

Enteritis

Peritonitis

Colic

Flatulent

Bilious

Colica Pictorum

Dysentery

Diarrhea

Cholera Infantum

Costipatio

Respiratory System

Catarrh

Catarrhus Epidemicus

Pneumonia

Pneumonia Vera

Bilious Pleurisy

Pneumonia Notha

Asthma

Angina Pectoris

Pertussis

Phthisis Pulmonalis

Tubercular Consumption

Catarrhal Consumption

Apothematic Consumption

Cynanche Trachealis

• Absorbent System

Oedema

Anasarca

Ascites

Hydrothorax

Serofula

Morasmus

Cutaneous System

Exanthemata

Erysipelas

Scarlatina

Measles

Secretory System

Sensitive System

Muscular System

Opicous System

Generative System

Cellular substance,, sub cutaneous,
 sub mucous, - very tight
 sub serous, - more loose
 arteries & veins, there only on outside
~~the~~ excretory ducts, - insulated by
 intra muscular,
 around nerves,
 of the head, very firm
 form the pia mater
 exist in the brain
 extend to the eye
 cribriform plate
 extends through the suture
 not much on the external surface
 of the head
 great quantities in the face
 to give beauty -

all very tight
 at the Cr. vent. in quiet

Of the Pia Mater it covers the Nerves -

~~At~~ Pons Varoli - Cerebrum Cerebellum - Bon. Gaudet
 Medulla oblongata - Septum lucidum - 5th ventricle
 extends another body ~~from~~ called fornix - floor
 Corpora striata - Nuclei, thalamus, fornix, thalamus, Nuclei
 Corpus choroides enroled in the velum chorioideum
 issue from the inferior cornu - Tenia semeliv
 eularis - Lyra Davidis - hippocampi corpus
 fimbriatum - Flexus choroides - foramen morrhagi
 enclon pituitary glands - p. hippocampi this is the Ant. part
 Vest. & Vest.
 Hypophysis and Adiposa - Mota, perfect
 Vest. of the simplest kind -

LIBRARIAN'S
BOOK